



Gandara Chile S. A.

YOUR GENERAL SHIP SUPPLIERS IN CHILE



TECHNICAL MARINE DIVISION

(Full Service For Deck, Engine and Cabin, Signals Distress Comet, Firefightings Equip, Epirbs, GMDSS, etc.)



FOOD SERVICE & CRUISES DIVISION

(Best Quality in Fresh, Frozen, Grocery, Dairy, Dry & General Beverage)





MARINE SAFETY

Comet Pyrotechnics



Approved by SOLAS
DGTM y MM



Man Over Board



Linethrower 250



Red Handflare



Red Parachute Signal Rocket



Smoke Signal Orange

Lifebuoys



Standard Lifebuoy
Approved by CCS, BV,
DGTM y MM



Lifejackets
Class 1, 2 & Solas



Auto Inflation Lifejacket
Approved by DGTM y MM

Insulated Immersion Suit & Thermal Protective Aids



Huyan Marine Suits
Approved by CCS EC DGTM y MM



Liferafts



Liferafts
Approved by CCS, DGTM y MM.

Size:
6P
10P
12P
15P

Working Clothes



All Kind of
working gloves



Boots and Safety
Shoes.



Work Clothes,
Boiler Suits &
Rain Suits



Masks



Helmets,
Goggles, and
ears plugs

Emergency Survival Ration



Emergency Drinking Water
Approved SOLAS, USCG,
DGTM y MM.
Contents: 500 ml.



Emergency Food Ration
Approved SOLAS, USCG, DGTM
y MM.
Provides : 2.500 Kcal.
Weight : 500 Gr.
Use : Boat



Tapes



-Cintas retro
reflectantes SOLAS



-Cintas selladora de
escotillas



-Cintas antideslizantes



Anti-splashin
tape



-Cintas PetroWrap anti-
corrosivas



-Cintas foto
luminiscentes



-Cintas anti goteo



Emergency T
Repairs

EEBD & Self-contained Breathing Equipment



Emergency Escape Breathing Device
for 15 minutes.
Approved EC, CCS, RS, DGTM y MM.



Self-contained Breathing Apparatus 30 minutes
with cylinder volume of 6,8/30 ltrs.
Approved EC, CSS and RS.

Fire Fighting Alumnized Suit



- * To protect the fireman from the radiation of heat and scalding vapors.
- * Under heat radiation of 10 kw/m2. about 30 seconds. The inside temperature is rising but no more than 25°C.
- * Approved CCS.

Fire hose, Extinguishers, Nozzles & Couplings



Fire Hose
Size 1" to 3"
Approved UTFSM.



Fire Extinguishers
duly certified.
Size: 1k, 2k, 4k, 6k
and 10k.



Fire Hose Nozzles
Types: Storz, Fog, Nakajima,
Machino and USA pin.



House Couplings
Types: Storz, Nakajima,
Machino and USA pin.

Safety Lights



Lifebuoy Light Daniamant L90
Approved SOLAS / DGTM y
MM.



Lifebuoy Light Daniamant
L161, Intrinsically safe.
Approved SOLAS/MED



Lifejacket lights,
Approved SOLAS, DGTM y MM

Sorbent Mats & Containment Products



Oil-Only Sonic Bonded Pads
Composition: Polypropylene
Dimensions: 19"L x 15"W
Absorbency: 1.1 liter



Oil-Only Sock / Net Boom
Dimensions: Outside 8" x 3mtr
4 boom per package
Absorbency: 143.8 Ltr.



Loose Peat/Moss
Oil-only sorbent
Dimensions: 30"L x 18"W x 4.5"D
Absorbency: 60 Liters per package



Spill kit



IMO Symbols Signs






ROPES- HAWSERS - WIRE ROPE & CHAINS

⚓ Polypropylene Rope High Tenacity

Size		Mtr/Coil	Breaking Strength (Kg)
Diam.			
MM	Inch		
4	5/32"	220	290
5	3/16"	220	420
6	1/4"	220	600
8	5/16"	220	1100
10	3/8"	220	1600
12	1/2"	220	2200
14	9/16"	220	3000
16	5/8"	220	3800
18	3/4"	220	4800
20	13/16"	220	5800
22	7/8"	220	7000
24	1"	220	9500
32	1.1/4"	220	16800
38	1.1/2"	220	20600



Cabo 100% polipropileno de alta tenacidad.

Usos: Para pesca artesanal, de arrastre, de cerco, transporte, construcción, relingas, orinques y confección jaulas de cultivos.

⚓ Polypropylene Rope Danstrong 8 Strand.

Tamaño		M/Rollo	Resistencia a la ruptura (Kg)
Diam	Mena		
MM	Plg		
48	6"	220	39500
52	6.1/2"	220	45750
56	7"	220	52000
60	7.1/2"	220	59500
64	8"	220	67750
68	8.1/2"	220	76000
72	9"	220	84500
76	9.1/2"	220	94000
80	10"	220	104000



P.P. High Tenacity Mooring Rope
Applications: Lashing, Anchorage & Towing
Certificate: Germanischer Lloyds

⚓ Polypropylene Rope Danstrong 12 Strand.

Size		Mtr/Coil	Breaking Strength (Kg)
Diam	Circ.		
MM	Inch		
52	6.1/2"	220	47400
56	7"	220	55100
60	7.1/2"	220	61700
64	8"	220	70500
68	8.1/2"	220	79800
72	9"	220	89200
76	9.1/2"	220	98500
80	10"	220	108400



P.P. Mooring Rope High Tenacity 12 Strands. Has superior abrasion resistance and long life service.
Applications: Lashing, Towing & Buoys
Certificate: Lloyd's Register of Shipping

⚓ Polypropylene Rope Superflex 12 Strand.

Size		Mtr/Coil	Breaking Strength (Kg)
Diam	Circ.		
MM	Inch		
40	5"	220	34000
44	5.1/2"	220	40000
48	6"	220	47000
52	6.1/2"	220	54000
56	7"	220	64000
60	7.1/2"	220	72000
64	8"	220	81000
72	9"	220	102000
80	10"	220	124000
88	11"	220	148000
96	12"	220	175000
104	13"	220	202000
112	14"	220	233000



P.P. Mooring Rope Composite: 70% of High Tenacity Polypropylene and 30% of Polyester in 12-Strand of circumference, which provides a very good abrasion resistance.

Applications : Lashing, Towing and Buoys.
Certificate : Lloyd's Register of Shipping

⚓ Galvanized Wire Rope 6 x 24 + 7 FC

Size		Breaking Load (Tons)
MM	Inch	
6,0	1/4"	1,97
8,0	5/6"	2,25
9,5	3/8"	4,80
12	1/2"	7,30
16	5/8"	13,1
19	3/4"	18,9



⚓ Galvanized Chain Long Link

Size	Diameter		Breaking Load
	Length	Weight	
MM			
6	12 mm	38 mm	150 KGS
8	15 mm	59 mm	300 KGS
10	16 mm	65 mm	700 KGS

Use: Regular Service, hand line and gangway.
Certificate: From manufacturer.

⚓ G-80 Galvanized Chain Long Link

Size	Diameter		Breaking Load
	Length	Weight	
MM			
13	21 mm	80 mm	16 TON
16	26 mm	100 mm	23 TON
19	30 mm	100 mm	32 TON

Use: Anchorage, netshaped, floats and perimeters.
Certificate: Lloyd's Register of Shipping

⚓ Anchor Chain



Stud Link Anchor Chain Grade U2 - U3, manufactured under the strictly standard quality procedures with Certificate of Lloyd's Register of Shipping.

Available from sock for size between 19mm and 32 mm.

Special Orders for size between 1.3/8" and 3.1/2"

⚓ Components for Anchor Chain



Kenter Shackle



"D" Type anchor shackle and Joinin shackles



Swivel Shackles & Shots



ELECTRICAL EQUIPMENT, LAMPS & NAUTICAL INSTRUMENT

Searchlights, Flashlights and Navigation Lamp Perko (USA)



Searchlights
7", 12" and 19"



Navigation Lamps



Flashlights for ships up to 12 meters in length



Flashlights for ships up to 20 meters in length



Flashlights for ships of 20 up to 50 meters in length



Double Flashlights for large ships

Flashlights



Rechargeable Flashlights Vulcan



Strong flashlight Bright Star Non-spark



Flashlight Mod. 2217 Bright Star Non-spark



Flashlight Black & Decker: 10 millions of candle.

Daylight signalling lamp



Aldis Type, Ibak Marine brand
Signalling Range:
4.5 Km in daylight
36 Km at night

Mc Murdo



Smarttfind/E5 406 MHz EPIRB
(Auto Float Free Housing)



S4 Rescue SART






Smarttfind GMDSS
Navtex

Multi-Testers



Fluorescent Lamps



Watertight Plugs & Receptacles



Barigo (Germany)



- * Barometers
- * Thermometers
- * Clocks

Magnetic Compasses



Magnetic Compasses of different brands:

- * Ritchie (USA)
- * Cassens & Plath

Nautical Instrument



Paralell Rules, Nautical Triangles and Chart Dividers

Nautical Sextants




Mark Davis (USA)
Cassens & Plath (Germany)

Binoculars



Binoculars
Narconia Brand

Lamp Holder and Fuses



Batteries



Reflector Lamps



Marine Watertight Wall Lights





CATERING

Food Provisions and Slopchest


Thanks to our long experience in the supply of food provisions to the main shipping companies and cruise lines calling at our ports, we can fulfill the demanding norms and standards required internationally, not only in the quality of our products, but also in the integral supply on board, for which we have a fleet of suitable vehicles according to the needs of each product.

Furthermore, all requirements are shipped with proper packing according to the international standard (Euro pallets, plastic film, waxed boxes, etc.).

Our company has achieved ISO 9001:2010 certification and ISSA Standard Quality; being the Chilean company in obtaining this important achievement in this field.

From our six branches, we are able to deliver in all Chilean ports:

- **Antofagasta Branch** : Serving the following Ports:
Antofagasta, Tocopilla, Mejillones, Caleta Coloso.
- **Valparaíso Head Office** : Serving the following Ports:
Valparaíso, Quintero, Ventanas, Coquimbo, Huasco, Caldera, Chañaral and Barquito.
- **San Antonio Branch** : Serving the following Ports:
San Antonio, Coquimbo and Guayacán.
- **Talcahuano Branch** : Serving the following Ports:
Talcahuano, San Vicente, Coronel, Lirquén, Penco, Lota and Huachipato.
- **Puerto Montt Branch** : Serving the following Ports:
Puerto Montt, Calbuco.
- **Punta Arenas Branch** : Serving the following Ports:
Punta Arenas, Cabo Negro and Puerto Natales.




GENERAL STORES

Oil Gauging Tape




Pipes and Tubes



Pipe & Tube Fittings



Bearings




Measuring Tools



Valves and Cocks



Packing & Jointing



Welding Equipments



Screw & Nuts



Brush & Mats





ABOUT US



Our company was founded in Spain in 1905 and established in Chile since 1982. We are the leader ship's supplier in our country, with experience in the following marine areas.

- 1 Maritime and Shipyards
- 2 Fishing and Acquiculture
- 3 Marine Safety
- 4 Mining and Industrial Area
- 5 Food Provisions & Slopchest

Almost all of our wide stock of products is imported from different

countries of the world having the exclusive representation of famous manufacturers, which permits us to maintain a line of exclusive products for the different areas of the Maritime Industry in which we work. Throughout these years, we have expanded our activities opening more branch offices in Chile. In all of them, we keep extensive a stock in order to attend our clients. We also act as distributors for the local suppliers. In addition, we have a team of experts merchant and marine engineer professionals with a long experience in the above mentioned fields.

The products represented, distributed and commercialized by our company, Gandara Chile S.A. are well reputed marks world-wide and, in case of being requested, they can be accredited by DOT, LLOYD'S, BUREAU VERITAS, NORSKE VERITAS, RINA, COAST GUARD and D.G.T.M. and MM.

Our company has obtained the ISO 9001:2015 certification, being the first Chilean company in archieving this important certification in this field in our country. Also, we have ISSA Quality Standard certificate.

Antofagasta
Eduardo Orchard 1200 Local 1
Fono: (55) 2472479 - Fax: (55) 2472480
E-mail: antofagasta@gandarachile.cl

Valparaíso
Cerro el Plomo 3729 - Curauma
Fono: (32) 2996900 - Fax: (32) 2996901
E-mail: admin@gandarachile.cl

San Antonio
21 de Mayo 1040
Fono: (35) 2231696 - Fax: (35) 2231696
E-mail: santonio@gandarachile.cl

Talcahuano
Gomez Carreño 3197
Fono: (41) 2593371 - Fax: (41) 2593370
E-mail: talcahuano@gandarachile.cl

Puerto Montt
Ángelmo 1750
Fono: (65) 2343686 - Fax: (65) 2341671
E-mail: pmontt@gandarachile.cl

Camino Tepual V60 Km. 5
Lote 2-A / Sector Lagunitas
Fono: (65) 2253007

Punta Arenas
Quillota 301
Fono: (61) 2221323 - Fax: (61) 2244199
E-mail: paretas@gandarachile.cl

www.gandarachile.cl



SOLE REPRESENTATIVES AND DISTRIBUTOR

YOUVELLA (Anzuelos)

PERKO Perko Inc. (Faroles marinos y proyectores)

NORCONIA GERMANY Norconia (Binoculares)

BARIGO Barigo (Relojes y Barómetros marinos)

KERGER & CO. B.V. Kerger B.V. (Ampolletas y materiales eléctricos)

T-ISS Safety Suppliers T-ISS (Cintas Retro Reflectiva)

HAE UNG Hae Sung (Monofilamento y destorcedores)

Fortune Net (Hilos de Red)

COMET Comet GmbH (Pirotecnia Naval)

LALIZAS Lalizas (Equipamiento Náutico)

Hwayan Hua Yan (Trajes de inmersión y material de seguridad)

萊鋼集團 Laiwu Steel Group (Cadenas y Componentes)

SPIUTECH Spilltech (Contención de derrames)

McDERMOTT CORP. (Balizas autónomas)

Axion Cordages Limited (Cabos y espías)

MULLION Mullion (Trajes térmicos)

Daniamant Daniamant (Bollarines luminosos)

GCRIEBER GC Rieber (Raciones de agua y alimento seven oceans)

LIFT-SUNNY Quingdao Lift Sunny machinery (Cadenas y componentes)

SD METALS SD Metals (Cadenas y componentes)